

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	: Hong et al	<b>Certificate of Correction Branch</b>
Patent No.	: 7,385, 368	Issued : June 10, 2008
Appl. No.	: 10/823,596	Filed : April 14, 2004
For	: APPARATUS FOR CONTROLLING OPERATION OF RECIPROCATING COMPRESSOR	

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop AMENDMENT  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following error appearing in the printed patent, which is the fault of the U.S. Patent and Trademark Office, no fee is believed to be due.

In the claims section, claim 1, column 6, line 6, in the printed patent, "initial" should be --initial--. This appears correctly on sheet 1 of 3 (claim 4,line 4) of the Claims in the amendment filed January 22, 2008.


Therefore, it is respectfully requested that a Certificate of Correction issue in the above identified patent as follows:

In the claims section, claim 1, column 6, line 6, in the printed patent, "initial" should be --initial--.

Should the Examiner have any questions, the Examiner is invited to contact the undersigned at the below-listed telephone number.

Respectfully Submitted,  
Hong et al

William S. Boshnick  
Reg. No. 44,550

  
Bruce H. Bernstein  
Reg. No. 29,027

December 10, 2008  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place]  
Reston, VA 20191  
(703) 716-11912

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,385,368

APPLICATION NO.: 10/823,596

ISSUE DATE : June 10, 2008

INVENTOR(S): Hong et al

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the claims section, claim 1, column 6, line 6, in the printed patent, "intial" should be --initial--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.

1950 Roland Clarke Place  
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*